



HEINIGER PRODUCT CATALOGUE

Animal shearing and clipping equipment





QUALITY SWISS MADE

Since 1965, our animal shearing and clipping equipment has set the standard for quality, precision and reliability. Our products are developed and manufactured in Herzogenbuchsee, in the heart of Switzerland. No matter which country you are in across the globe, or which animals you have - be it sheep, cattle, camelids, horses, goats or small animal pets - millions of animals are shorn, clipped and groomed with Heiniger "swiss made" products daily.



g Equipment

Heiniger

Heiniger

CONTENTS

Sheep shearing machines 6 – 8

Handpiece / Shearing plants 9 – 13

Sheep shearing combs and cutters 14 – 19

Cattle clippers 20 – 23

Horse clippers 24 – 26

Cattle and horse blades 27


Small animal clippers 28 – 30

Small animal blades 31

Grinders 32 – 35

Accessories 36 – 37





CUSTOMER SERVICE AND CONTACT

At Heiniger we constantly strive to offer the best customer service and contact. We regularly meet customers on site with our vast network of sales and service people, to identify the best product for customer application. Field work is crucial for our business further development of the products and offer complete satisfaction for our customers.

HEINIGER

A FAMILY AFFAIR

The Heiniger family name is 3rd generation in the manufacture of high-quality swiss made animal shearing and clipping equipment. The Heiniger company initially began trading in fruit and vegetables in 1946 - but under the direction of my great-uncle **Hermann Heiniger** and my father **Werner Heiniger**, turned the business into a high quality manufacturer and global trader, whom specializes in animal fibre harvesting equipment.

For professional shearers only the highest quality counts. The proximity to our customers in markets such as Australia and New Zealand in particular – combined with the engineering technology and precision manufacturing of Swiss technology – has arguably seen the Heiniger name become proud world leaders in the manufacturing and supply of professional sheep shearing and clipping equipment.

Heiniger is a family affair – not only at the management level. Our long-serving and loyal employees are part of the family. Over the decades, across our employee base, we have collected animal shearing and clipping-knowledge and passed it down to our younger “family members”. The loyalty and dedication of the staff, as well as the specialized technical knowledge of animal shearing and clipping, are the success factors behind Heiniger. Our staff are proud to brand our products “Made in Switzerland” and that they bear the Heiniger name - they understand that our customers rely on quality and performance to facilitate their daily work – therefore we are proud to stamp our product with our family name.



A blue ink handwritten signature of Daniel Heiniger, written in a cursive style.

Daniel Heiniger




Werner Heiniger



Hermann Heiniger t

KNOWLEDGE FROM PROFESSIONALS – EQUIPMENT FOR EVERYONE

The knowledge and experience of the world's top professional shearers from Australia, New Zealand and England are incorporated in our products. The result is high quality, performance product that will enhance both professional and indeed any customer whom chooses to use them. Heiniger is the true Choice of Champions worldwide.



Sheep shearing machine

XPERT

- > Extremely high-torque motor
- > Ergonomic and lightweight
- > Fibreglass reinforced housing
- > Patented shearing system



The new Xpert sheep shearing machine from Heiniger is a real power package. Power and technology are combined at the highest level in a handy, lightweight machine. The unique and innovative, strong connection between the shearing head and the fibreglass-reinforced housing ensures low vibration shearing, with an ergonomic handle design.

Order number

- 708-200 240V EU
- 708-201 240V GB
- 708-203 120V US

Specifications

- Motor power: 200 watts
- Speed: 2500 dbs/min
- Length: 301 mm
- Weight: 1180g
- Noise emission (LpAm): 79 dB (A)



Sheep shearing machine

XTRA

- > Patented shearing system
- > Thermal overload protection switch
- > Solid and robust



This powerful electric shearing handpiece has a patented floating fork system to provide an even pressure across the comb and cutter, this uses less pressure and extends the life of the comb and cutter by up to 50%.

Order number

- 712-600 230V EU
- 712-630 230V GB
- 712-670 120V US

Specifications

- Motor power: 320 watts
- Speed: 2400 dbs/min
- Length: 350mm
- Weight: 1530g
- Noise emission (LpAm): 80dB (A)



Sheep shearing machine

S 12

- > Battery-operated shearing machine 12V
- > Operation with car or motorcycle battery
- > Operating time of 4 to 5 hours
- > 50Ah battery



The portable 12V battery shearing machine can be used everywhere where a 12V power supply is available, a mains connection is not required.

Order number

- 712-100

Specifications

- Motor power: 160 watts
- Speed: 2250 dbs/min
- Length: 310mm
- Weight: 1230g
- Noise emission (LpAm): 80dB (A)



Handpiece

ICON CYCLONE

- > Fits EVO, ONE shearing systems and devices of other manufacturers
- > With PIN or WORM coupling



Developed in cooperation with the Swiss Technical University ETH in Zurich, the ICON offers high performance, a longer working life and minimal maintenance effort.

Order number
721-180 ICON
WORM coupling

Specifications
Dimensions W x H x L: 65 x 95 x 320mm
Weight without blades: 1300g

721-160 ICON
PIN coupling

**Shearing plant****EVO** 

- > Shearing machine with 3 speeds
- > Strong 300 W motor
- > Australian "WorkSafe" award

The first professional shearing system in the world with an electronic safety switch designed to help eliminate handpiece lockup. Sturdy, fibreglass reinforced housing. With downtube fitting, service free belt and quick release.

Specifications

Motor power: 300 watts

Rotary speed at 230V: 3500/3200/2700rpm

Rotary speed at 120V: 3500/3200/2700rpm

Dimensions W x H x L: 225 x 300 x 290 mm

Weight: 7,8kg

Noise emission (LpAm): 70dB (A)



Complete shearing plant **EVO**



Complete with flexible drive 200 cm and handpiece Icon:

722-710 A 230V EU worm
722-710 B 230V EU pin
722-720 A 230V GB worm
722-720 B 230V GB pin
722-740 A 120V US worm
722-740 B 120V US pin



Complete with solide downtube 200 cm and handpiece Icon:

722-710 I 230V EU worm
722-710 K 230V EU pin
722-720 I 230V GB worm
722-720 K 230V GB pin
722-740 I 120V US worm
722-740 K 120V US pin



**Shearing plant****ONE** 

- > Single-speed shearing machine
- > Strong 300 W motor

ONE plant offers all of the advantages of the EVO but has one speed and is only operated with the flexible shaft. Easy service and maintenance. Handy, light and quiet.

Specifications

Motor power: 300 watts

Rotary speed at 230V: 2950 rpm

Rotary speed at 120V: 3500 rpm

Dimensions W x H x L: 243 x 317 x 209 mm

Weight: 6,5kg

Noise emission (LpAm): 70dB (A)



Complete shearing plant
ONE



**Complete with flexible drive 200 cm
and handpiece Icon:**

- 722-610 A 230V EU worm
- 722-610 B 230V EU pin
- 722-620 A 230V GB worm
- 722-620 B 230V GB pin
- 722-640 A 120V US worm
- 722-640 B 120V US pin



Wall Bracket

Wall mounting bracket, Art. No. 722-820



A close-up photograph of a pair of shears cutting through a thick mass of light-colored wool. The shears are dark-colored, likely black or dark grey, and the blades are metallic. The wool is being pulled apart by the blades, creating a fibrous texture. The background is a soft, out-of-focus light brown color.

WE GUARANTEE A PERFECT FLOW

In every country, for every breed of sheep, each shearer is different. Heiniger is the specialist for animal shearing and clipping equipment and therefore offers an incomparable wide range of shearing comb profiles and blades, one of which will offer superior flow through any wool or hair, under any and all conditions.

SHEARING COMBS

Shearing combs for broad wool

> Heiniger shearing combs for sheep with broad wool.



Kombat Run-In
97 mm / 13 teeth / Short bevel
This comb includes the latest Heiniger LG2 technology. 714-108 Right hand



Calibre Full thickness
93,5 mm wide / Short bevel
Designed specifically for harsh UK conditions and all crossbred full wool sheep. This comb includes the latest Heiniger LG2 technology. 714-098 Right hand



Charger Full thickness
93,5 mm wide / Short bevel
Designed specifically for New Zealand and UK conditions. 714-033 Right hand
714-032 Left hand



Quantum Plus Full thickness
95 mm wide / Short bevel
The full thickness profile enhances flow on the skin, leaving a polished finish. 714-089 Right hand



Warrior Full thickness
96 mm wide / Short bevel
For crossbreds with perfect flow in open wool. 714-059 Right hand

SHEARING COMBS



Quasar Full thickness
95 mm wide / Medium bevel
To achieve high tallies in open wool.
714-038 Right hand



Super Charged Run-In
93,5 mm wide / Short bevel
The lower profile of the Super Charged provides superior entry in open woolled sheep.
714-034 Right hand



Quantum Run-In
95 mm wide / Short bevel
Enhanced flow and maximised tallies in open woolled free combing sheep.
714-050 Right hand
714-068 Left hand



Raging Warrior Run-In
96 mm wide / Short bevel
Wide comb for crossbred with perfect flow in open wool.
714-056 Right hand



Condor Run-In
98 mm wide / Short bevel
The 98 mm wide profile offers optimum width of blow.
714-088 Right hand



XLR-8 Run-In
98 mm wide / Medium bevel
A maximum width – all purpose comb for shearing crossbred sheep through to fine wool sheep.
714-106 Right hand

Shearing combs for fine wool

> Heiniger fine wool combs will withstand the harshest conditions, wherever you are shearing.



Ninja Run-In
97 mm wide / medium-long bevel
New LG2 technology. Specially designed to achieve high tallies in good combing sheep. Performs straight from the packet.
714-107 Right hand



Awesome Full thickness
92 mm wide / Long bevel
Exceptional easy entry and returning a polished finish in the toughest fine wool.
714-051 Right hand



Wicked Full thickness
93,5 mm wide / Long bevel
Proven to provide high tallies in all types of fine woolled sheep.
714-042 Right hand

SHEARING COMBS



B-Evil Run-In
 94.5 mm wide / medium bevel
 Versatile and efficient. Exceptional run-in entry and new LG2 technology. The B-Evil out performs all others in the widest variety of merino and cross-bred sheep. 714-130 Right hand



Bad Full thickness
 95 mm wide / long bevel
 The Bad enters tough shearing sheep with ease. Ideal choice for average shearing merinos. A versatile comb that lasts the distance. 714-097 Right hand



Freestyle Full thickness
 96 mm wide / Long bevel
 Designed to shear average to poor shearing Merinos fast. 714-057 Right hand
 714-087 Left hand



Rebel Run-In
 92 mm wide / Long bevel
 Features a sleek straight bottom rider with smooth bends to the top teeth. This comb includes the latest Heiniger LG2 technology. 714-086 Right hand



Xpress Run-In
 93,5 mm wide / Long bevel
 To use in the toughest shearing fine wool sheep. Performing straight from the packet. 714-061 Right hand



Freak Run-In
 94,5 mm wide / Long bevel
 Incorporating latest advancements in comb manufacturing. 714-085 Right hand
 714-120 Left hand



Huge Run-In
 96 mm wide / Long bevel
 To obtain extra high tallies in all fine wool types. 714-075 Right hand

SHEARING COMBS

All purpose shearing combs

> Heiniger all purpose combs designed for shearing open woolled Merinos and tough shearing crossbreds.



Ovina Standard
77 mm wide / Medium bevel
Multi purpose comb. 714-020 Right Hand



Topaz Full thickness
84,5 mm wide / Medium bevel
To use in all types of wool and shearing conditions. 714-078 Right Hand



Rapier Full thickness
86 mm wide / Long bevel
Easy entry in damp, sticky wool.
A favourite in crutching cradles. 714-040 Right Hand



Reflex Full thickness
94 mm wide / Medium bevel
Ideal for shearing open woolled Merinos and tough shearing crossbreds. 714-077 Right Hand
714-067 Left Hand



Pro Legend Full thickness
92 mm wide / Medium bevel
Generally used in open fine wool type sheep. 714-031 Right Hand



Proflex Run-In
94 mm wide / Medium bevel
Dramatic improvement in flow of the comb and leaving a perfect finish. 714-096 Right Hand

Winter and cover combs

> Heiniger winter comb for all shearing all sheep types and leaving a good residual cover of wool.



Blizzard Winter comb
94,5 mm wide / Short bevel
Universal winter comb for shearing all sheep types. This comb includes the latest Heiniger LG2 technology. 714-060 Right Hand



Isobar Winter comb
97,5 mm wide / Short bevel
Offering superior width of blow as well as an optimum entry and flow. This comb includes the latest Heiniger LG2 technology. 714-065 Right Hand



Highlander Winter comb
97 mm wide / Medium bevel
Maximises tallies in open woolled and tougher crossbred sheep. This comb includes the latest Heiniger LG2 technology. 714-066 Right Hand



Crusader Winter comb
94,5 mm wide / Long bevel
Specifically designed for shearing the tighter woolled sheep types. This comb includes the latest Heiniger LG2 technology. 714-069 Right Hand

SHEARING COMBS AND CUTTERS

Special combs

> Selected combs to shear goats, camelids and cattles.



Camelid Camelids shearing comb
Specially designed to shear llamas, alpacas, vicuñas, guanacos and camels. Leaves a cover of 6 to 10 mm of wool.
714-025



Shattle Cattle clipping blade
To clip cattle on an electric or mechanical shearing handpiece with a standard cutter.
714-090



Mohair Goat shearing comb
84,5 mm wide / Short bevel
Specifically intended to shear mohair goats.
714-080 Right Hand



Mach 9 Cover comb
94 mm wide / Long bevel
Specially designed to shear in extra tough sheep.
714-071 Right Hand
714-074 Left Hand



Slick Comb for sheep and goats
84,5 mm wide / Short bevel
Excellent flow of the comb, perfect finish.
714-115

Cutters

> Rock from the Box: Special sharp-edged.



Jet Full thickness cutter
4,4 mm thick
The Jet provides maximum throw for extra wide combs.
714-010



Diamond Run-In cutter
3,7 mm thick
Uncompromised safety, superior entry into tight wool.
714-011



Edge Full thickness cutter
4,4 mm thick
More versatility due to wide throw and further reach on the comb.
714-151



Xtreme Run-In cutter
3,7 mm thick
Engineered to give high performance straight from the box.
714-152



Storm Ultra thickness cutter
4,6 mm thick
The preferred cutter for all winter combs.
714-150

A scenic mountain landscape with a river, forest, and a cow grazing in the foreground. The background shows rolling hills and mountains under a clear sky. The foreground features a lush green field with a cow grazing. A river flows through the middle ground, surrounded by dense evergreen trees. The overall scene is peaceful and natural.

WE MAKE YOUR JOB EASIER

At Heiniger, staff test all of our products directly on the animals themselves. From this experience – combined with feedback from our customers – we can understand what product is required to complete the task of shearing or clipping each individual animal. Heiniger clippers allow an effortless clipping experience – this is due to the technical development of our powerful motors, as well as the ergonomic, slim and light handpieces that we have in our range.



Cattle and horse clipper
XPERIENCE 

- > Extremely high performance and sturdy
- > Ergonomic and lightweight
- > Fibreglass reinforced housing
- > No distracting escaping air



The Xperience – a combination of a powerful and ergonomic light machine. With cuttingedge technology. This new machine offers the unique aspect in the innovative, stable connection between the clipping head and housing.

Order number

708-000 230V EU
708-001 230V GB
708-003 120V US

Specifications

Motor power: 200 watts
Speed: 2500 db/min
Length: 301 mm
Weight: 1250g
Noise emission (LpAm): 70dB (A)



Cordless clipper for cattle and horse

XPLORER

- > Cordless
- > No memory effect
- > Runtime up to 120 min
- > Extremely silent
- > Lightweight



Our latest innovation is a cordless clipper with Li-Ion battery technology. This allows up to two-hour cordless clipping time. No disturbing cable increases the flexibility and portability of the clipping experience. This X-Series clipper is very powerful, ergonomic and quiet. Through the unique double tooth gear, the power is transmitted optimally from the motor to the clipping head. The practical LED display on the charger unit indicates the current charge level of the battery.

Order number

- 708-400 EU
- 708-401 GB
- 708-403 US

Specifications

- Battery voltage: 10.8 Volt Lithium-Ion
- Battery capacity: 2600 mAh
- Speed: 2450 dbs/min
- Length: 300mm
- Weight: 990 g
- Noise emission (LpAm): 65 dB (A)
- Charging time: 60-70 minutes

Power supply / Plug

- 707-895 Plug EU
- 707-897 Plug GB
- 707-898 Plug US
- 708-490 Power supply without plug

Battery charger Xplorer

Charger Xplorer 708-550





Cattle and horse clipper

DELTA3

> 3 clipping speeds



The first cattle and horse clipper on the market to offer three clipping speeds, allowing simple, powerful and comfortable clipping even under the toughest conditions.

Order number

707-000 230V EU
707-001 230V GB
707-003 120V US

Specifications

Motor power: 180 watts
Speed: 2100/2800/3200 db/min
Length: 310mm
Weight: 1320g
Noise emission (LpAm): 72/75/78dB (A)



Cordless battery clipper

SAPHIR

> Additional battery pack for continuous clipping.

> Quiet, lightweight and powerful



The perfect clipping machine for the trimming of cattle and horses or for Cow-Styling. Up to 90 minutes clipping time per battery with high performance lithium-ionic technology. Additional battery pack and less than 60 minutes charging time for continuous clipping. Detachable Saphir blade systems compatible with clippers from Andis, Moser, Oster and Wahl.

Order number

707-800 230V EU
707-801 230V GB
707-803 120V US

Specifications

Motor power: 35 watts
Speed: 2650 db/min
Dimensions L x W x H: 204 x 50 x 41 mm
Weight incl. battery: 440g
Battery voltage: 7,4V
Battery capacity: 1600mAh

A brown horse is grazing in a field of tall, golden-brown grass. The background shows rolling hills and mountains under a dramatic, cloudy sky. The text is overlaid on the left side of the image.

COMFORT FOR YOU AND YOUR HORSE

Heiniger has developed clippers to suit the specific needs to clip your horse, no matter the breed or size. Heiniger horse clippers are powerful yet slim, lightweight and quiet and developed for ease of use in even the smallest of hands.



Horse clipper

PROGRESS

- > Electronic overload safety switch
- > Lightweight – only 930 g
- > No distracting escaping air



With a slim grip, lightweight and quiet operation, Progress is the best solution to clip nervous horses. With an innovative permanent magnet motor. Now more powerful and quieter.

Order number

- 707-500 230 V / 80 W EU
- 707-501 230 V / 80 W GB
- 707-503 120 V / 65 W US

Specifications

- Motor power: 80 watts
- Speed: 2200 db/min
- Length: 280 mm
- Weight: 930 g
- Noise emission (LpAm): 70 dB (A)



Horse clipper

PROGRESS STYLE 

- > Electronic overload safety switch
- > Trendy design
- > Weighing only 930g
- > Latest electronic technology
- > No distracting escaping air



The horse clipper Progress Style in a trendy design. Equipped with the latest electronic technology, the Progress Style horse clipper is now even more powerful and even quieter than ever. Weighing in at only 930 grams, it has an impressive slim ergonomic handle making the Progress a popular choice for people whom wish to clip their own few horses at a time that suits them.

Order number

- 707-516 Progress Style 230V EU
- 707-517 Progress Style 230V GB
- 707-519 Progress Style 120V US

Specifications

- Motor power: 80 watts
- Speed: 2200 dbs/min
- Length: 280mm
- Weight: 930g
- Noise emission (LpAm): 70 dB (A)



Cordless battery clipper

SAPHIR STYLE 

- > High performance batteries with the latest Lithium-ion technology
- > 35W permanent magnet motor
- > Over 90 minutes of clipping time with less than 60 minutes of charging time.
- > Unique Design



The perfect clipping machine for the trimming of horses or for Horse-Styling. Low-noise and high-performance 35 W permanent magnet motor. High performance battery with the latest Lithium-ion technology for continuous clipping. Over 90 minutes of clipping time with less than 60 minutes of charging time. High-quality charger with additional charging dock for 2nd battery and charging indicator. Large selection of interchangeable clipping blades, compatible with Andis, Moser, Oster and Wahl.

Order number

- 707-750 230V EU
- 707-751 230V GB
- 707-753 120V US

Specifications

- Motor power: 35 watts
- Speed: 2650 dbs/min
- Dimensions LxWxH: 204 x 50 x 41 mm
- Weight incl. battery: 440g
- Battery voltage: 7.4V
- Battery capacity: 1600mAh

CATTLE AND HORSE BLADES

Made from high quality blade steel and finished with a special grinding process. The design and applied hollow grind ensures a long lasting optimum cut.



Standard cattle blade set

Suitable for dirty coats. For use with cattle clippers. Coat length after clipping 2–4 mm.

703-300 Bottom blade 21 703-520 Set 21/23
703-220 Top blade 23



18/23 tough blade set

Special blade for clipping very dirty coats. Coat length after clipping 2–4 mm.

703-370 Bottom blade 18 703-690 18/23
703-220 Top blade 23



18/15 thick coat blade set

For cattle breeds with a thick long or frizzy coat. Coat length after clipping 2–4 mm.

703-370 Bottom blade 18 703-700 Set 18/15
703-200 Top blade 15



Standard horse blade set

Suitable for clean coats. Coat length after clipping 2–4 mm.

703-310 Bottom blade 31 703-530 Set 31/15
703-200 Top blade 15



Fine horse blade set

For a perfect finish. Coat length after clipping 1–2 mm.


703-320 Bottom blade 31F 703-560 Set 31F/15
703-200 Top blade 15



Surgical use blade set

Coat length after clipping 0.1 mm.

703-350 Bottom blade 53 703-670 Set 53/23
703-220 Top blade 23



Standard horse blade set

Suitable for clean coats. Coat length after clipping 2–4 mm.


703-310 Bottom blade 31 703-550 Set 31/23
703-220 Top blade 23



Fine horse blade set

For a perfect finish. Coat length after clipping 1–2 mm.


703-320 Bottom blade 31F 703-580 Set 31F/23
703-220 Top blade 23



Horse/cow styling blade set

Coat length after clipping 2–4 mm.

703-330 Bottom blade 35 703-600 Set 35/17
703-210 Top blade 17



Horse/cow styling blade set

To clip close the skin. Coat length after clipping 1–2 mm.

703-340 Bottom blade 35F 703-630 Set 35F/17
703-210 Top blade 17

WE SET STANDARDS

Thanks to the innovation of the Heiniger research & development team, professionals as well as customers generally can now clip without a power cable. Customers purchasing the cordless clipping products will be surprised at how powerful a battery machine can be. Once you have used our range of small animal clippers they will become an indispensable product, for all your A5 small animal clipping.



Cordless battery clipper

SAPHIR

- > Additional battery pack for continuous clipping.
- > Quiet, lightweight and powerful



Up to 90 minutes clipping time per battery with high performance lithium-ionic technology. Additional battery pack and less than 60 minutes charging time for continuous clipping. Detachable Saphir blade systems compatible with clippers from Andis, Moser, Oster and Wahl.

29

Order number

- 707-800 230V EU
- 707-801 230V GB
- 707-803 120V US

Specifications

- Motor power: 35 watts
- Speed: 2650 db/min
- Dimensions L x W x H: 204 x 50 x 41 mm
- Weight incl. battery: 440g
- Battery voltage: 7,4V
- Battery capacity: 1600mAh



Cordless battery clipper
SAPHIR STYLE

- > High performance battery with the latest Lithium-ion technology
- > 35W permanent magnet motor
- > Over 90 minutes of clipping time with less than 60 minutes of charging time.
- > Unique Design



Charger Saphir, 707-822A

Low-noise, high-performance 35W permanent magnet motor. High performance battery with the latest lithium-ion technology for continuous clipping. Over 90 minutes of clipping time with less than 60 minutes of charging time. High-quality charger with additional charging dock for 2nd battery and LED charging indicator. Large selection of interchangeable clipping blades, compatible with Andis, Moser, Oster and Wahl.

Order number
 707-750 230V EU
 707-751 230V GB
 707-753 120V US

Specifications
 Motor power: 35 watts
 Speed: 2650 db/min
 Dimensions W x H x L: 204 x 50 x 41 mm
 Weight incl. battery: 440 g
 Battery voltage: 7,4V
 Battery capacity: 1600mAh



Clipper with cord
SAPHIR CORD

- > Electric Clipper
- > Powerful small animal clipper
- > Speed: 3200 db/min
- > 3m cord
- > Unique Design



Adapter Saphir Cord, 707-720
 (Fitting all Saphir models)

Powerful 35 W small animal clipper with 3m cord for continuous clipping. A "must have" for the professional groomer. Large selection of interchangeable clipping blades, compatible with Andis, Moser, Oster and Wahl.

Order number
 707-700 230V EU
 707-701 230V GB
 707-703 120V US

Specifications
 Motor power: 35 watts
 Speed: 3200 db/min
 Dimensions W x H x L: 204 x 50 x 41 mm
 Weight: 330 g
 Length cord: 3 m

SMALL ANIMAL BLADES

> Heiniger SAPHIR clipper blades are compatible with clippers from Andis, Moser, Oster and Wahl.



#50/0,4mm
VET Cat
Art.-Nr. 707-905



#9/2,0mm
Dog Horse Cow
Art.-Nr. 707-933



#5F/6,0mm
Dog
Art.-Nr. 707-960



#5/8/0,8mm
Cat Dog
Art.-Nr. 707-920



#40/0,6mm
VET Cat
Art.-Nr. 707-910



#8,5/2,8mm
Dog
Art.-Nr. 707-941



#4/9,5mm
Dog
Art.-Nr. 707-964



#10W/2,3mm
Horse Cow
Art.-Nr. 707-974



#30/0,8mm
VET Cat Dog
Art.-Nr. 707-917



#7/3,2mm
Dog
Art.-Nr. 707-943



#4F/9,5mm
Dog
Art.-Nr. 707-966



#15/1,5mm
Cat Cow
Art.-Nr. 707-926



#7F/3,2mm
Dog
Art.-Nr. 707-945



#10/1,8mm
Cat Dog Cow
Art.-Nr. 707-930



#5/6,0mm
Dog
Art.-Nr. 707-957




- 707-981 Snap-on comb 1/16" (2mm)
- 707-982 Snap-on comb 1/8" (4mm)
- 707-983 Snap-on comb 1/4" (8mm)
- 707-984 Snap-on comb 1/2" (14mm)
- 707-985 Snap-on comb 3/4" (18mm)
- 707-986 Snap-on comb 1" (25mm)
- 707-987 Snap-on comb 1 1/4" (32mm)

The Snap-on comb are only compatible with the blades 50, 40, 30, 15 and 10.

FOR COMPLETE SOLUTION AND MAXIMUM PERFORMANCE

Heiniger also supply a complete range of all the necessary accessories for our animal shearing and clipping range.

Quality Heiniger accessories ensure that you get the maximum performance from all of our products.



Grinder

EASYGRINDER

- > Simple to adjust and handle
- > A simple but precise fixed head aluminium pendulum to grind shearing combs and cutters
- > Swiss Made



Self-adhesive emery paper, medium K60

718-251

Powerful but lightweight grinder that's truly portable. The Heiniger EasyGrinder, the simplest way to grind your shearing combs and cutters. Made in Switzerland. Comes complete with: aluminium disc, "Easy pendulum", self-adhesive emery paper 60 grit, guide sleeve, protective safety eye and ear wear, instruction manual

33

Order number

718-200 A EasyGrinder
230V/370W EU

718-200 C EasyGrinder
230V/370W GB

718-202 EasyGrinder
120V/370W US

Specifications

Electric: 0,37kW / 230-240V / 50Hz / 2,6A
Speed: 1420 U/min
Dimensions: Height 740mm with cross arm / 475mm without cross arm
Width 400 mm / depth 320mm
Weight: 23kg
Ø disc: 370mm



Professional grinder
ACUTECC



Powerful enough for permanent installation, yet light enough to be truly portable. Incl. low heat aluminium precision discs, doublesided clamp plate.

Order number

719-301 Euro Acutecc
230V/1100W EU

719-302 Euro Acutecc
230V/1100W GB

Specifications

Motor power: 1,1 kW/230–240V/50Hz/7,5A
Motor speed: 2800 rpm
Dimensions (HxWxD): 760 x 425 x 425mm
Folded down weight: 480mm
Weight: 34 kg
Ø disc: 370 mm

Sharpening Pendulum

719-032



This quality controlled precision sharpening pendulum is supplied in an aluminium storage carry case, complete with a new sharpening technique chart, two handles and protective safety eye and ear wear.

Emery papers

719-011 Coarse/grit40/combs
719-012 Fine/grit 80/cutters



Latex Glue

Latex glue 250ml , Art.-Nr. 719-013



Emery Paper Premium

719-288 for cutters (GT888)
719-299 for combs (GT999)



Precision ruler

Art.-Nr. 718-001





Grinder

COMBIGRINDER

- > Swiss Made
- > Comfortable and easy



Grinds cattle, horse and pet clipper blades. Never before has grinding been so simple! Professional results with comfort and ease. The CombiGrinder package has everything you need included – simply unpack and start grinding! Incl. 1 grinding paste coarse, 1 precision ruler, 1 grinding holder for flat clipper blades, 1 instruction manual. Previous knowledge must be available. Only for skilled staff.

Order number

Cattle/Horse:
718-050 A 230V EU
718-050 C 230V GB
718-051 A 120V US

Specifications

Electric: 230V/50 Hz/0,37kW/2,6A, 120V/60Hz/0,37kW/5,0A
Speed: 1420 rpm at 230V / 1700 U/min at 120V
Dimensions: Width 430mm / depth 400mm / height 330mm
Weight: 21.6kg
Ø disc: 352mm

Pet:
718-050-A-Pet 230V EU
718-050-C-Pet 230V GB
718-051-A-Pet 120V US

Accessories cattle / horse

718-010 Disc cattle/horse



715-210 grinding paste fine, 440g
715-220 grinding paste coarse, 510g
718-001 Precision ruler
718-003 Grinding holder for flat blades



Accessories Pet

718-040 Disc Pet



718-130 Grinding powder, 2kg



ACCESSORIES

> Heiniger offers a comprehensive range of shearing accessories.



Hand shears
Quality hand shears for sheep.
Blade length 13 cm, total length 29 cm.
734-005



Lifter
Lifter for wide combs.
714-099



Shearers comb brush
A very useful brush for removing
sticky grease from combs.
701-653



Tally counter
0-9999 push button operation, chrome
plated with instant reset. 523-000



Screwdriver
Octagonal handle provides
excellent grip with longer blades
for better tensioning. 701-646



Clipper oil
Specially developed non toxic
clipper oil increases performance,
reduces friction and enhances
blade life. 701-647 Dispenser bottle 100ml
707-102 Refill bottle 500ml

MERCHANDISING

> Heiniger quality clothing and accessories for the professional shearer.
Delivery times on demand.



Black Magic Shearing Jeans
Original Shearing Jeans 985-001



Shearers Singlet
Extra long, to protect your back 985-000



Heiniger Beanie
80% wool 985-015



Moccasins
Leather 985-002



Heiniger Cap 985-009



Poloshirt
dark blue, 50% cotton, 50% polyester
Size: S, M, L and XL 985-023



Heiniger

Sales and Support



The parent company is located in Herzogenbuchsee in Switzerland, with subsidiaries in Australia and New Zealand. In over 50 countries throughout the world, Heiniger products are represented by qualified sales partners. They receive regular training so that they can advise customers about current product information. After-sales service is priority for the Heiniger Company.

For more tips and tricks as well as care instructions, see on our [Youtube Channel](#) or on our [website](#).



Perth Head Office

Adelaide Office

Christchurch Office



Heiniger AG
Industrieweg 8
3360 Herzogenbuchsee
Switzerland

+41 (0)62 956 92 00
marketing@heiniger.com
www.heiniger.com

